

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	10450	358/504,406,1.15,1.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:54
L13	62	400/120.09.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:54
L14	7281	709/203,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:56
L15	2018	(12 or 13 or 14) and ((print\$5 or copier or fax or facsimile) near4 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:01
L18	56	15 and (calibrat\$5 with (print\$5 or copier or fax or facsimile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:01
L19	10	18 and (job near4 (manag\$6 or maintain\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:01
L20	2125	(12 or 13 or 14) and ((print\$5 or copier or copying or fax or facsimile) near4 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:01
L21	69	15 and (calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:01
L22	17	21 and (job near4 (manag\$6 or maintain\$6 or request\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L23	7	kise-takashi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:03
L24	1	23 and (job with (assign\$5 or transfer\$6 or direct\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 17:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	2338	print\$5 with job\$5 with (transfer\$5 or routing or rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:11
L21	443	17 and (job near4 manag\$5 near5 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:14
L22	316	21 and (job same (print\$5 with (ID or identifi\$6 or address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:26
L23	236	22 and (transfer\$5 with print\$5 with job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:17
L24	94	23 and ((chang\$5 or adjust\$5 or transfer\$5) with (print\$5 with (ID or identifi\$6 or address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:55
L25	75	24 and (print\$5 near4 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:22
L26	52	25 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:23
L27	2	26 and (calibrat\$5 with print\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:23
L28	2	25 and (calibrat\$5 with print\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:24
L29	4	24 and (calibrat\$5 with print\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:25
L30	288	21 and (job with (print\$5 with (ID or identifi\$6 or address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:26

L31	101	30 and ((chang\$5 or adjust\$5 or transfer\$5) with (print\$5 with (ID or identifi\$6 or address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:34
L32	65	31 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:36
L33	60	32 and ((multipl\$5 or plural\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:50
L34	34	33 and ((user or operator) near4 (select\$5 or choos\$5) near4 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:53
L35	10	33 and ((user or operator) near4 (select\$5 or choos\$5) near4 print\$5 near3 (id or name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:55
L36	281	(print\$5 near4 server) and ((user or operator) near4 (select\$5 or choos\$5) near4 print\$5 near3 (id or name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:57
L37	1	36 and (((chang\$5 or adjust\$5 or transfer\$5) with (print\$5 with (ID or name))) same (print\$5 near5 (busy or unavailable or incapable or error or offline or off-line or (off adj2 line))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:58
L38	459	(print\$5 near4 server) and ( (select\$5 or choos\$5) near4 print\$5 near3 (id or name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:07
L39	2	38 and (((chang\$5 or adjust\$5 or transfer\$5) with (print\$5 with (ID or name))) same (print\$5 near5 (busy or unavailable or incapable or error or offline or off-line or (off adj2 line))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:59
L41	37	38 and (((chang\$5 or adjust\$5 or transfer\$5) with (print\$5 with (ID or name))) and (print\$5 near5 (busy or unavailable or incapable or error or offline or off-line or (off adj2 line))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:08
L42	24	41 not canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:06

L43	13	41 and canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:06
L44	6772	((fax or facsimile or multifunction or multi-function or copier or print\$5 near4 server) and ( (select\$5 or choos\$5) near4 (id or name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:08
L45	1690	((fax or facsimile or multifunction or multi-function or copier or print\$5) near4 server) and ( (select\$5 or choos\$5) near4 (id or name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:23
L46	250	45 and (((chang\$5 or adjust\$5 or transfer\$5 or replac\$5 or substitut\$5) near3 ((ID or name))) and (print\$5 near5 (busy or unavailable or incapable or error or offline or off-line or (off adj2 line))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:22
L48	76	46 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:10
L49	9	48 and canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:10
L50	67	48 not canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:18
L51	152	45 and (print\$5 near4 job near4 manag\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:18
L52	18	51 and (((chang\$5 or adjust\$5 or transfer\$5 or replac\$5 or substitut\$5) near3 ((ID or name))) and (print\$5 near5 (busy or unavailable or incapable or error or offline or off-line or (off adj2 line))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:19
L53	111	45 and ((chang\$5 or adjust\$5 or transfer\$5 or replac\$5 or substitut\$5) near3 print\$5 near2 job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:24

L54	631	((fax or facsimile or multifunction or multi-function or copier or print\$5) near4 server) and ( (select\$5 or choos\$5 or set\$3) near4 (fax or facsimile or multifunction or multi-function or copier or print\$5) near2 (id or "i.d." or identification or name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:23
L55	88	54 and ((chang\$5 or adjust\$5 or transfer\$5 or replac\$5 or substitut\$5) near3 print\$5 near2 job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:25
L56	4	54 and ((chang\$5 or adjust\$5 or transfer\$5 or replac\$5 or substitut\$5) near3 print\$5 near2 job near2 (name or id or "i.d." or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:26
L57	1521	print\$5 near4 job near3 manag\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:26
L58	30	57 and ((chang\$5 or alter\$5 or replac\$5 or substitut\$5) near4 (print\$5 near2 (id or "i.d." or name or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:38
L61	31	57 and ((chang\$5 or alter\$5 or replac\$5 or substitut\$5 or adjust\$5 ) near4 (print\$5 near2 (id or "i.d." or name or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:52
L62	1	"5802260".pn. and ((memory or stor\$5) with name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:54
L63	1	"5802260".pn. and ((memory or stor\$5) with name near2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:54
L64	0	"5802260".pn. and ((memory or stor\$5) with name near2 printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:54
L65	1	"5802260".pn. and ((memory or stor\$5) same name near2 printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	109	(network with calibrat\$5 with (print\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:54
L2	44	1 and ((multipl\$5 or plural\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:54
L3	25	2 and ((transfer\$5 or redirect\$5 or reassign\$5 or assign\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:49
L4	15	3 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:55
L5	176	((server or network or internet) with calibrat\$5 with (print\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:11
L6	88	5 and ((multipl\$5 or plural\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:12
L7	39	6 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:55
L8	34	7 not canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:05
L9	5	7 and canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:55
L10	6	"033585".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:05
L20	3973	((server or network or internet) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:11

L21	306	20 and (calibrat\$5 with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:48
L22	113	21 and ((multipl\$5 or plural\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:12
L23	11	22 and ((transfer\$5 or direct\$5 or redirect\$5 or re-direct\$5 or assign\$5) with job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:15
L24	2	22 and (calibrat\$5 with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:14
L25	11	22 and (calibrat\$5 with status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:14
L26	15	22 and ((transfer\$5 or direct\$5 or redirect\$5 or re-direct\$5 or assign\$5 or rout\$5 rerout\$5 or re-rout\$5) with job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:17
L27	11	22 and (print\$5 with job with manag\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:21
L28	11	21 and ((rout\$5 or transfer\$5 or assign\$5) with (job or request\$3 or print\$5) with (capabl\$5 or availab\$5 or busy or idle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:25
L29	197	((rout\$5 or transfer\$5 or assign\$5) with (job near4 print\$5) with (capabl\$5 or availab\$5 or busy or idle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:25
L30	3	29 and (calibrat\$5 with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:26
L31	4	29 and (calibrat\$5 same print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:33



L32	1	10 and ((calibrat\$5) with (memory or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:37
L33	1	"6048117".pn. and status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:38
L34	1	"6048117".pn. and (calibrat\$5 with (memory or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:49
L35	2	"5933676".pn. and status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:39
L36	0	"5933676".pn. and (calibrat\$5 with (memory or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:42
L37	0	"5933676".pn. and (calibrat\$5 with flag same memory )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:43
L38	1	"5933676".pn. and (calibrat\$5 with flag )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:43
L39	376	20 and (calibrat\$5 with (print\$5 or cop\$3 or fax or facsimile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:49
L40	25	3 and ((transfer\$5 or redirect\$5 or reassign\$5 or assign\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:49
L41	93	39 and ((transfer\$5 or redirect\$5 or reassign\$5 or assign\$5) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:51
L42	44	41 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:49

L43	30	39 and (((transfer\$5 or redirect\$5 or reassign\$5 or assign\$5) with print\$5) same calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:53
L44	23	39 and (((transfer\$5 or redirect\$5 or reassign\$5 or assign\$5) with print\$5) with calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:53
L45	3	39 and (((transfer\$5 or redirect\$5 or reassign\$5 or assign\$5) with print\$5 with job) with calibrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:59
L46	15	39 and ((print\$5 near4 job) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:04
L47	85	39 and ((print\$5 near4 (job or request\$3 or data)) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:05
L48	19	39 and ((print\$5 near4 (job or request\$3 or data)) with (transfer\$5 or rout\$3 or direct\$5 or assign\$5) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:14